

Connecting via Winsock to STN

Welcome to STN International! Enter x:X

LOGINID:SSPTAJHM1624

PASSWORD:

TERMINAL (ENTER 1, 2, 3, OR ?):2

* * * * * Welcome to STN International * * * * *

NEWS	1		Web Page for STN Seminar Schedule - N. America
NEWS	2	OCT 02	CA/CAPplus enhanced with pre-1907 records from Chemisches Zentralblatt
NEWS	3	OCT 19	BEILSTEIN updated with new compounds
NEWS	4	NOV 15	Derwent Indian patent publication number format enhanced
NEWS	5	NOV 19	WPIX enhanced with XML display format
NEWS	6	NOV 30	ICSD reloaded with enhancements
NEWS	7	DEC 04	LINPADOCDB now available on STN
NEWS	8	DEC 14	BEILSTEIN pricing structure to change
NEWS	9	DEC 17	USPATOLD added to additional database clusters
NEWS	10	DEC 17	IMSDRUGCONF removed from database clusters and STN
NEWS	11	DEC 17	DGENE now includes more than 10 million sequences
NEWS	12	DEC 17	TOXCENTER enhanced with 2008 MeSH vocabulary in MEDLINE segment
NEWS	13	DEC 17	MEDLINE and LMEMLINE updated with 2008 MeSH vocabulary
NEWS	14	DEC 17	CA/CAPplus enhanced with new custom IPC display formats
NEWS	15	DEC 17	STN Viewer enhanced with full-text patent content from USPATOLD
NEWS	16	JAN 02	STN pricing information for 2008 now available
NEWS	17	JAN 16	CAS patent coverage enhanced to include exemplified prophetic substances
NEWS	18	JAN 28	USPATFULL, USPAT2, and USPATOLD enhanced with new custom IPC display formats
NEWS	19	JAN 28	MARPAT searching enhanced
NEWS	20	JAN 28	USGENE now provides USPTO sequence data within 3 days of publication
NEWS	21	JAN 28	TOXCENTER enhanced with reloaded MEDLINE segment
NEWS	22	JAN 28	MEDLINE and LMEMLINE reloaded with enhancements
NEWS	23	FEB 08	STN Express, Version 8.3, now available
NEWS	24	FEB 20	PCI now available as a replacement to DPCI
NEWS	25	FEB 25	IFIREF reloaded with enhancements
NEWS	26	FEB 25	IMSPRODUCT reloaded with enhancements
NEWS	27	FEB 29	WPINDEX/WPIDS/WPIX enhanced with ECLA and current U.S. National Patent Classification
NEWS	28	MAR 31	IFICDB, IFIPAT, and IFIUIDB enhanced with new custom IPC display formats
NEWS	29	MAR 31	CAS REGISTRY enhanced with additional experimental spectra
NEWS	30	MAR 31	CA/CAPplus and CASREACT patent number format for U.S. applications updated
NEWS	31	MAR 31	LPCI now available as a replacement to LDPCI
NEWS	32	MAR 31	EMBASE, EMBAL, and LEMBASE reloaded with enhancements

NEWS EXPRESS FEBRUARY 08 CURRENT WINDOWS VERSION IS V8.3,
AND CURRENT DISCOVER FILE IS DATED 20 FEBRUARY 2008

NEWS HOURS STN Operating Hours Plus Help Desk Availability
NEWS LOGIN Welcome Banner and News Items
NEWS IPC8 For general information regarding STN implementation of IPC 8

Enter NEWS followed by the item number or name to see news on that specific topic.

All use of STN is subject to the provisions of the STN Customer agreement. Please note that this agreement limits use to scientific research. Use for software development or design or implementation of commercial gateways or other similar uses is prohibited and may result in loss of user privileges and other penalties.

* * * * * STN Columbus * * * * *

FILE 'HOME' ENTERED AT 11:16:24 ON 02 APR 2008

=> file registry

COST IN U.S. DOLLARS	SINCE FILE ENTRY	TOTAL SESSION
FULL ESTIMATED COST	0.21	0.21

FILE 'REGISTRY' ENTERED AT 11:16:34 ON 02 APR 2008

USE IS SUBJECT TO THE TERMS OF YOUR STN CUSTOMER AGREEMENT.

PLEASE SEE "HELP USAGETERMS" FOR DETAILS.

COPYRIGHT (C) 2008 American Chemical Society (ACS)

Property values tagged with IC are from the ZIC/VINITI data file provided by InfoChem.

STRUCTURE FILE UPDATES: 1 APR 2008 HIGHEST RN 1011527-65-3
DICTIONARY FILE UPDATES: 1 APR 2008 HIGHEST RN 1011527-65-3

New CAS Information Use Policies, enter HELP USAGETERMS for details.

TSCA INFORMATION NOW CURRENT THROUGH January 9, 2008.


Please note that search-term pricing does apply when conducting SmartSELECT searches.

REGISTRY includes numerically searchable data for experimental and predicted properties as well as tags indicating availability of experimental property data in the original document. For information on property searching in REGISTRY, refer to:

<http://www.cas.org/support/stngen/stndoc/properties.html>

=>

Uploading C:\Program Files\Stnexp\Queries\10 series\10553151\10553151a.str



```

chain nodes :
14 15 16 18 19 20 21 31 32
ring nodes :
1 2 3 4 5 6 7 8 9 10 11 12 13 17 26 27 28 29 30
chain bonds :
1-14 4-15 11-16 12-31 13-18 16-17 18-19 19-20 20-21 31-32
ring bonds :
1-2 1-6 2-3 2-7 3-4 3-10 4-5 5-6 5-11 6-13 7-8 8-9 9-10 11-12 12-13
17-26 17-30 26-27 27-28 28-29 29-30
exact/norm bonds :
1-2 1-6 1-14 3-4 4-5 4-15 5-6 5-11 6-13 11-12 11-16 12-13 13-18 19-20
20-21
exact bonds :
12-31 16-17 18-19 31-32
normalized bonds :
2-3 2-7 3-10 7-8 8-9 9-10 17-26 17-30 26-27 27-28 28-29 29-30

```

```

Match level :
1:Atom 2:Atom 3:Atom 4:Atom 5:Atom 6:Atom 7:Atom 8:Atom 9:Atom 10:Atom
11:Atom 12:Atom 13:Atom 14:CLASS 15:CLASS 16:CLASS 17:Atom 18:CLASS
19:CLASS 20:CLASS 21:CLASS 26:Atom 27:Atom 28:Atom 29:Atom 30:Atom 31:CLASS
32:CLASS


```

L1 STRUCTURE UPLOADED

=> d l1

L1 HAS NO ANSWERS

L1 STR



Structure attributes must be viewed using STN Express query preparation.

=> s l1

SAMPLE SEARCH INITIATED 11:17:01 FILE 'REGISTRY'
SAMPLE SCREEN SEARCH COMPLETED - 0 TO ITERATE

100.0% PROCESSED 0 ITERATIONS 0 ANSWERS
SEARCH TIME: 00.00.01

FULL FILE PROJECTIONS: ONLINE **COMPLETE**
BATCH **COMPLETE**

PROJECTED ITERATIONS: 0 TO 0
PROJECTED ANSWERS: 0 TO 0

L2 0 SEA SSS SAM L1

=> s l1 full


FULL SEARCH INITIATED 11:17:05 FILE 'REGISTRY'
FULL SCREEN SEARCH COMPLETED - 5 TO ITERATE

100.0% PROCESSED 5 ITERATIONS 5 ANSWERS
SEARCH TIME: 00.00.01

L3 5 SEA SSS FUL L1

=> d scan


L3 5 ANSWERS REGISTRY COPYRIGHT 2008 ACS on STN
IN 1H-Naphth[2,3-d]imidazolium, 4,9-dihydro-1-(2-methoxyethyl)-2-methyl-4,9-dioxo-3-(2-pyrazinylmethyl)-, bromide (1:1)
MF C20 H19 N4 O3 . Br



ONE OR MORE TAUTOMERIC DOUBLE BONDS NOT DISPLAYED IN THE STRUCTURE


HOW MANY MORE ANSWERS DO YOU WISH TO SCAN? (1):4

L3 5 ANSWERS REGISTRY COPYRIGHT 2008 ACS on STN
 IN 1H-Naphth[2,3-d]imidazolium, 4,9-dihydro-1-(2-methoxyethyl)-2-methyl-4,9-dioxo-3-(pyrazinylmethyl)- (9CI)
 MF C20 H19 N4 O3
 CI COM




ONE OR MORE TAUTOMERIC DOUBLE BONDS NOT DISPLAYED IN THE STRUCTURE

L3 5 ANSWERS REGISTRY COPYRIGHT 2008 ACS on STN
 IN 1H-Naphth[2,3-d]imidazolium, 4,9-dihydro-1-(2-methoxyethyl)-2-methyl-4,9-dioxo-3-(pyrazinylmethyl)-, chloride (9CI)
 MF C20 H19 N4 O3 . Cl




ONE OR MORE TAUTOMERIC DOUBLE BONDS NOT DISPLAYED IN THE STRUCTURE

L3 5 ANSWERS REGISTRY COPYRIGHT 2008 ACS on STN
 IN 1H-Naphth[2,3-d]imidazolium, 4,9-dihydro-1-(2-methoxyethyl)-2-methyl-3-[(5-methylpyrazinyl)methyl]-4,9-dioxo- (9CI)
 MF C21 H21 N4 O3
 CI COM



ONE OR MORE TAUTOMERIC DOUBLE BONDS NOT DISPLAYED IN THE STRUCTURE

L3 5 ANSWERS REGISTRY COPYRIGHT 2008 ACS on STN
 IN 1H-Naphth[2,3-d]imidazolium, 4,9-dihydro-1-(2-methoxyethyl)-2-methyl-3-[(5-methylpyrazinyl)methyl]-4,9-dioxo-, chloride (9CI)
 MF C21 H21 N4 O3 . Cl



● Cl⁻

ONE OR MORE TAUTOMERIC DOUBLE BONDS NOT DISPLAYED IN THE STRUCTURE

ALL ANSWERS HAVE BEEN SCANNED

=> file caplus

COST IN U.S. DOLLARS

SINCE FILE

TOTAL

ENTRY

SESSION

FULL ESTIMATED COST

180.20

180.41

FILE 'CAPLUS' ENTERED AT 11:19:45 ON 02 APR 2008

USE IS SUBJECT TO THE TERMS OF YOUR STN CUSTOMER AGREEMENT.

PLEASE SEE "HELP USAGETERMS" FOR DETAILS.

COPYRIGHT (C) 2008 AMERICAN CHEMICAL SOCIETY (ACS)

Copyright of the articles to which records in this database refer is held by the publishers listed in the PUBLISHER (PB) field (available for records published or updated in Chemical Abstracts after December 26, 1996), unless otherwise indicated in the original publications. The CA Lexicon is the copyrighted intellectual property of the American Chemical Society and is provided to assist you in searching databases on STN. Any dissemination, distribution, copying, or storing of this information, without the prior written consent of CAS, is strictly prohibited.

FILE COVERS 1907 - 2 Apr 2008 VOL 148 ISS 14

FILE LAST UPDATED: 1 Apr 2008 (20080401/ED)

Effective October 17, 2005, revised CAS Information Use Policies apply. They are available for your review at:

<http://www.cas.org/infopolicy.html>

=> s 13

L4 6 L3

=> d 14 1-6 ibib hitstr


L4 ANSWER 1 OF 6 CAPLUS COPYRIGHT 2008 ACS on STN

ACCESSION NUMBER: 2008:252630 CAPLUS
 DOCUMENT NUMBER: 148:269467
 TITLE: Stabilized pharmaceutical composition of
 naphthoimidazolium derivative
 INVENTOR(S): Murai, Makoto; Yonemochi, Yuichi; Shakushiro, Kohsuke;
 Kasai, Akihiro
 PATENT ASSIGNEE(S): Astellas Pharma Inc., Japan
 SOURCE: PCT Int. Appl., 24pp.
 CODEN: PIXXD2
 DOCUMENT TYPE: Patent
 LANGUAGE: Japanese
 FAMILY ACC. NUM. COUNT: 1
 PATENT INFORMATION:

PATENT NO.	KIND	DATE	APPLICATION NO.	DATE
WO 2008023807	A1	20080228	WO 2007-JP66495	20070824
W: AE, AG, AL, AM, AT, AU, AZ, BA, BB, BG, BH, BR, BW, BY, BZ, CA, CH, CN, CO, CR, CU, CZ, DE, DK, DM, DO, DZ, EC, EE, EG, ES, FI, GB, GD, GE, GH, GM, GT, HN, HR, HU, ID, IL, IN, IS, JP, KE, KG, KM, KN, KP, KR, KZ, LA, LC, LK, LR, LS, LT, LU, LY, MA, MD, ME, MG, MK, MN, MW, MX, MY, MZ, NA, NG, NI, NO, NZ, OM, PG, PH, PL, PT, RO, RS, RU, SC, SD, SE, SG, SK, SL, SM, SV, SY, TJ, TM, TN, TR, TT, TZ, UA, UG, US, UZ, VC, VN, ZA, ZM, ZW RW: AT, BE, BG, CH, CY, CZ, DE, DK, EE, ES, FI, FR, GB, GR, HU, IE, IS, IT, LT, LU, LV, MC, MT, NL, PL, PT, RO, SE, SI, SK, TR, BF, BJ, CF, CG, CI, CM, GA, GN, GQ, GW, ML, MR, NE, SN, TD, TG, BW, GH, GM, KE, LS, MW, MZ, NA, SD, SL, SZ, TZ, UG, ZM, ZW, AM, AZ, BY, KG, KZ, MD, RU, TJ, TM				

PRIORITY APPLN. INFO.: JP 2006-229203 A 20060825
 WO 2007-JP66340 A 20070823


IT 781661-94-7
 RL: THU (Therapeutic use); BIOL (Biological study); USES (Uses)
 (stabilized pharmaceutical composition of naphthoimidazolium derivative)
 RN 781661-94-7 CAPLUS
 CN 1H-Naphth[2,3-d]imidazolium, 4,9-dihydro-1-(2-methoxyethyl)-2-methyl-4,9-
 dioxo-3-(2-pyrazinylmethyl)-, bromide (1:1) (CA INDEX NAME)



● Br⁻

ONE OR MORE TAUTOMERIC DOUBLE BONDS NOT DISPLAYED IN THE STRUCTURE
 REFERENCE COUNT: 30 THERE ARE 30 CITED REFERENCES AVAILABLE FOR THIS
 RECORD. ALL CITATIONS AVAILABLE IN THE RE FORMAT

L4 ANSWER 2 OF 6 CAPLUS COPYRIGHT 2008 ACS on STN
 ACCESSION NUMBER: 2007:1451296 CAPLUS
 DOCUMENT NUMBER: 148:228885
 TITLE: YM-155: apoptosis inducer survivin expression inhibitor oncolytic
 AUTHOR(S): Wang, Y.; Serradell, N.; Bolos, J.; Rosa, E.
 CORPORATE SOURCE: IBC, Frederick, MD, 21702, USA
 SOURCE: Drugs of the Future (2007), 32(10), 879-882
 CODEN: DRFUD4; ISSN: 0377-8282
 PUBLISHER: Prous Science
 DOCUMENT TYPE: Journal; General Review
 LANGUAGE: English
 IT 781661-94-7
 RL: PAC (Pharmacological activity); THU (Therapeutic use); BIOL (Biological study); USES (Uses)
 (YM-155 monotherapy showed promising anticancer activity and acceptable toxicity profile in patient with cancer)
 RN 781661-94-7 CAPLUS
 CN 1H-Naphth[2,3-d]imidazolium, 4,9-dihydro-1-(2-methoxyethyl)-2-methyl-4,9-dioxo-3-(2-pyrazinylmethyl)-, bromide (1:1) (CA INDEX NAME)



● Br⁻

ONE OR MORE TAUTOMERIC DOUBLE BONDS NOT DISPLAYED IN THE STRUCTURE


L4 ANSWER 3 OF 6 CAPLUS COPYRIGHT 2008 ACS on STN
 ACCESSION NUMBER: 2007:996056 CAPLUS
 DOCUMENT NUMBER: 147:461711
 TITLE: YM155, a Novel Small-Molecule Survivin Suppressant, Induces Regression of Established Human Hormone-Refractory Prostate Tumor Xenografts
 AUTHOR(S): Nakahara, Takahito; Takeuchi, Masahiro; Kinoyama, Isao; Minematsu, Tsuyoshi; Shirasuna, Kenna; Matsuhisa, Akira; Kita, Aya; Tominaga, Fumiko; Yamanaka, Kentaro; Kudoh, Masafumi; Sasamata, Masao
 CORPORATE SOURCE: Institute for Drug Discovery Research, Astellas Pharma, Inc., Tsukuba-shi, Ibaraki, Japan
 SOURCE: Cancer Research (2007), 67(17), 8014-8021
 CODEN: CNREA8; ISSN: 0008-5472
 PUBLISHER: American Association for Cancer Research
 DOCUMENT TYPE: Journal
 LANGUAGE: English
 IT 781661-94-7, YM 155
 RL: DMA (Drug mechanism of action); PAC (Pharmacological activity); PKT

(Pharmacokinetics); THU (Therapeutic use); BIOL (Biological study); USES (Uses)

(YM155, a novel small-mol. survivin suppressant, induces regression of established human hormone-refractory prostate tumor xenografts)

RN 781661-94-7 CAPLUS

CN 1H-Naphth[2,3-d]imidazolium, 4,9-dihydro-1-(2-methoxyethyl)-2-methyl-4,9-dioxo-3-(2-pyrazinylmethyl)-, bromide (1:1) (CA INDEX NAME)



● Br⁻

ONE OR MORE TAUTOMERIC DOUBLE BONDS NOT DISPLAYED IN THE STRUCTURE

REFERENCE COUNT: 37 THERE ARE 37 CITED REFERENCES AVAILABLE FOR THIS RECORD. ALL CITATIONS AVAILABLE IN THE RE FORMAT

L4 ANSWER 4 OF 6 CAPLUS COPYRIGHT 2008 ACS on STN

ACCESSION NUMBER: 2004:902370 CAPLUS

DOCUMENT NUMBER: 141:379945

TITLE: Process for preparation of imidazolium bromide derivative and its crystals

INVENTOR(S): Kinoyama, Isao; Sakamoto, Kenichirou; Okui, Hiroki; Hamada, Noritaka; Matsuhisa, Akira

PATENT ASSIGNEE(S): Yamanouchi Pharmaceutical Co., Ltd., Japan

SOURCE: PCT Int. Appl., 23 pp.

CODEN: PIXXD2

DOCUMENT TYPE: Patent

LANGUAGE: Japanese

FAMILY ACC. NUM. COUNT: 1

PATENT INFORMATION:

PATENT NO.	KIND	DATE	APPLICATION NO.	DATE
-----	----	-----	-----	-----
WO 2004092160	A1	20041028	WO 2004-JP5321	20040414
W: AE, AG, AL, AM, AT, AU, AZ, BA, BB, BG, BR, BW, BY, BZ, CA, CH, CN, CO, CR, CU, CZ, DE, DK, DM, DZ, EC, EE, EG, ES, FI, GB, GD, GE, GH, GM, HR, HU, ID, IL, IN, IS, JP, KE, KG, KP, KR, KZ, LC, LK, LR, LS, LT, LU, LV, MA, MD, MG, MK, MN, MW, MX, MZ, NA, NI, NO, NZ, OM, PG, PH, PL, PT, RO, RU, SC, SD, SE, SG, SK, SL, SY, TJ, TM, TN, TR, TT, TZ, UA, UG, US, UZ, VC, VN, YU, ZA, ZM, ZW				
RW: BW, GH, GM, KE, LS, MW, MZ, SD, SL, SZ, TZ, UG, ZM, ZW, AM, AZ, BY, KG, KZ, MD, RU, TJ, TM, AT, BE, BG, CH, CY, CZ, DE, DK, EE, ES, FI, FR, GB, GR, HU, IE, IT, LU, MC, NL, PL, PT, RO, SE, SI, SK, TR, BF, BJ, CF, CG, CI, CM, GA, GN, GQ, GW, ML, MR, NE, SN, TD, TG				
CA 2522486	A1	20041028	CA 2004-2522486	20040414

JP 2004331657	A	20041125	JP 2004-118511	20040414
JP 3618341	B2	20050209		
EP 1614686	A1	20060111	EP 2004-727422	20040414
R: AT, BE, CH, DE, DK, ES, FR, GB, GR, IT, LI, LU, NL, SE, MC, PT, IE, SI, LT, LV, FI, RO, MK, CY, AL, TR, BG, CZ, EE, HU, PL, SK, HR				
CN 1791595	A	20060621	CN 2004-80013226	20040414
MX 2005PA11078	A	20060124	MX 2005-PA11078	20051014
US 20060223831	A1	20061005	US 2005-553151	20051014
IN 2005DN04719	A	20070105	IN 2005-DN4719	20051017
PRIORITY APPLN. INFO.:			JP 2003-109793	A 20030415
			WO 2004-JP5321	W 20040414


OTHER SOURCE(S): CASREACT 141:379945

IT 781661-94-7P

RL: PRP (Properties); SPN (Synthetic preparation); PREP (Preparation)
(preparation of imidazolium bromide derivative and its crystals)

RN 781661-94-7 CAPLUS

CN 1H-Naphth[2,3-d]imidazolium, 4,9-dihydro-1-(2-methoxyethyl)-2-methyl-4,9-dioxo-3-(2-pyrazinylmethyl)-, bromide (1:1) (CA INDEX NAME)



● Br⁻


ONE OR MORE TAUTOMERIC DOUBLE BONDS NOT DISPLAYED IN THE STRUCTURE

IT 355406-09-6P

RL: SPN (Synthetic preparation); PREP (Preparation)
(preparation of imidazolium bromide derivative and its crystals)

RN 355406-09-6 CAPLUS

CN 1H-Naphth[2,3-d]imidazolium, 4,9-dihydro-1-(2-methoxyethyl)-2-methyl-4,9-dioxo-3-(pyrazinylmethyl)-, chloride (9CI) (CA INDEX NAME)




● Cl⁻

ONE OR MORE TAUTOMERIC DOUBLE BONDS NOT DISPLAYED IN THE STRUCTURE
 REFERENCE COUNT: 4 THERE ARE 4 CITED REFERENCES AVAILABLE FOR THIS
 RECORD. ALL CITATIONS AVAILABLE IN THE RE FORMAT

L4 ANSWER 5 OF 6 CAPLUS COPYRIGHT 2008 ACS on STN
 ACCESSION NUMBER: 2003:349225 CAPLUS
 DOCUMENT NUMBER: 138:348689
 TITLE: Pharmaceutical compositions containing condensed
 imidazolium derivatives
 INVENTOR(S): Matsuhisa, Akira; Kinoyama, Isao; Toyoshima, Hiroshi;
 Nakahara, Takato; Takeuchi, Masahiro; Okada, Minoru
 PATENT ASSIGNEE(S): Yamanouchi Pharmaceutical Co., Ltd., Japan
 SOURCE: Jpn. Kokai Tokkyo Koho, 27 pp.
 CODEN: JKXXAF
 DOCUMENT TYPE: Patent
 LANGUAGE: Japanese
 FAMILY ACC. NUM. COUNT: 1
 PATENT INFORMATION:

PATENT NO.	KIND	DATE	APPLICATION NO.	DATE
JP 2003128548	A	20030508	JP 2002-230691	20020808
JP 3634328	B2	20050330		

PRIORITY APPLN. INFO.: JP 2001-243397 A 20010810
 OTHER SOURCE(S): MARPAT 138:348689
 IT 355406-09-6P 355406-23-4P
 RL: ADV (Adverse effect, including toxicity); PAC (Pharmacological
 activity); SPN (Synthetic preparation); THU (Therapeutic use); BIOL
 (Biological study); PREP (Preparation); USES (Uses)
 (preparation of condensed imidazolium derivs. for anticancer agents)
 RN 355406-09-6 CAPLUS
 CN 1H-Naphth[2,3-d]imidazolium, 4,9-dihydro-1-(2-methoxyethyl)-2-methyl-4,9-
 dioxo-3-(pyrazinylmethyl)-, chloride (9CI) (CA INDEX NAME)




● Cl⁻

ONE OR MORE TAUTOMERIC DOUBLE BONDS NOT DISPLAYED IN THE STRUCTURE

RN 355406-23-4 CAPLUS

CN 1H-Naphth[2,3-d]imidazolium, 4,9-dihydro-1-(2-methoxyethyl)-2-methyl-3-[(5-methylpyrazinyl)methyl]-4,9-dioxo-, chloride (9CI) (CA INDEX NAME)



● Cl⁻

ONE OR MORE TAUTOMERIC DOUBLE BONDS NOT DISPLAYED IN THE STRUCTURE

L4 ANSWER 6 OF 6 CAPLUS COPYRIGHT 2008 ACS on STN

ACCESSION NUMBER: 2001:617983 CAPLUS

DOCUMENT NUMBER: 135:180768

TITLE: Preparation of naphth[2,3-d]imidazolium halides, naphth[2,3-d]imidazoles and aminonaphthalene-1,4-dione derivatives as antitumor agents

INVENTOR(S): Matsuhisa, Akira; Kinoyama, Isao; Toyoshima, Akira; Nakahara, Takahito; Takeuchi, Masahiro; Okada, Minoru

PATENT ASSIGNEE(S): Yamanouchi Pharmaceutical Co., Ltd., Japan

SOURCE: PCT Int. Appl., 61 pp.

CODEN: PIXXD2

DOCUMENT TYPE: Patent

LANGUAGE: Japanese

FAMILY ACC. NUM. COUNT: 1

PATENT INFORMATION:

PATENT NO.	KIND	DATE	APPLICATION NO.	DATE
WO 2001060803	A1	20010823	WO 2001-JP1036	20010214
W:	AE, AG, AL, AM, AT, AU, AZ, BA, BB, BG, BR, BY, BZ, CA, CH, CN, CR, CU, CZ, DE, DK, DM, DZ, EE, ES, FI, GB, GD, GE, GH, GM, HR, HU, ID, IL, IN, IS, JP, KE, KG, KR, KZ, LC, LK, LR, LS, LT, LU, LV, MA, MD, MG, MK, MN, MW, MX, MZ, NO, NZ, PL, PT, RO, RU, SD, SE, SG, SI, SK, SL, TJ, TM, TR, TT, TZ, UA, UG, US, UZ, VN, YU, ZA, ZW			
RW:	GH, GM, KE, LS, MW, MZ, SD, SL, SZ, TZ, UG, ZW, AT, BE, CH, CY, DE, DK, ES, FI, FR, GB, GR, IE, IT, LU, MC, NL, PT, SE, TR, BF, BJ, CF, CG, CI, CM, GA, GN, GW, ML, MR, NE, SN, TD, TG			
CA 2395717	A1	20010823	CA 2001-2395717	20010214
AU 2001032286	A	20010827	AU 2001-32286	20010214
EP 1256576	A1	20021113	EP 2001-904433	20010214
EP 1256576	B1	20050615		
R:	AT, BE, CH, DE, DK, ES, FR, GB, GR, IT, LI, LU, NL, SE, MC, PT, IE, SI, LT, LV, FI, RO, MK, CY, AL, TR			
JP 3397320	B2	20030414	JP 2001-560188	20010214
AT 297901	T	20050715	AT 2001-904433	20010214
PT 1256576	T	20050930	PT 2001-904433	20010214
ES 2243441	T3	20051201	ES 2001-904433	20010214
US 20030114508	A1	20030619	US 2002-169409	20020701
US 6734203	B2	20040511		
PRIORITY APPLN. INFO.:			JP 2000-36645	A 20000215
			JP 2000-261489	A 20000830
			WO 2001-JP1036	W 20010214


OTHER SOURCE(S): MARPAT 135:180768

IT 355406-09-6P

RL: BAC (Biological activity or effector, except adverse); BSU (Biological study, unclassified); SPN (Synthetic preparation); THU (Therapeutic use); BIOL (Biological study); PREP (Preparation); USES (Uses)
(preparation of naphth[2,3-d]imidazolium halides and aminonaphthalene-1,4-dione derivs. as antitumor agents)

RN 355406-09-6 CAPLUS


CN 1H-Naphth[2,3-d]imidazolium, 4,9-dihydro-1-(2-methoxyethyl)-2-methyl-4,9-dioxo-3-(pyrazinylmethyl)-, chloride (9CI) (CA INDEX NAME)



● C1-

ONE OR MORE TAUTOMERIC DOUBLE BONDS NOT DISPLAYED IN THE STRUCTURE

IT 355406-23-4P
 RL: SPN (Synthetic preparation); THU (Therapeutic use); BIOL (Biological study); PREP (Preparation); USES (Uses)
 (preparation of naphth[2,3-d]imidazolium halides and aminonaphthalene-1,4-dione derivs. as antitumor agents)
 RN 355406-23-4 CAPLUS
 CN 1H-Naphth[2,3-d]imidazolium, 4,9-dihydro-1-(2-methoxyethyl)-2-methyl-3-[(5-methylpyrazinyl)methyl]-4,9-dioxo-, chloride (9CI) (CA INDEX NAME)



● Cl⁻

ONE OR MORE TAUTOMERIC DOUBLE BONDS NOT DISPLAYED IN THE STRUCTURE
 REFERENCE COUNT: 4 THERE ARE 4 CITED REFERENCES AVAILABLE FOR THIS
 RECORD. ALL CITATIONS AVAILABLE IN THE RE FORMAT

=>

=> log hold

COST IN U.S. DOLLARS

SINCE FILE	TOTAL
ENTRY	SESSION
34.98	215.39

FULL ESTIMATED COST

SESSION WILL BE HELD FOR 120 MINUTES
 STN INTERNATIONAL SESSION SUSPENDED AT 11:35:20 ON 02 APR 2008